
"Proportion of MaineCare Top 5 Characteristics." Kirk Duplessis, September 2014


The following graphics expand on the Top 5 concept by investigating the differences between patients present in the Top 5 group for 1 year (blue bars) versus those in the Top 5 group for 3 consecutive years (red bars).

Text appearing to the left of the center line indicates a larger proportion of the 1-year cohort presented with the element of analysis (e.g. diagnosis etc.), while text appearing to the right of the center line indicates a larger proportion of the 3-year cohort presented with the element of analysis.

The first of these graphs illustrates the proportion of the 1-year and 3-year cohorts with respect to Diagnosis Code. For instance, a larger proportion of the 3-year cohort presented with <u>Current Pervasive Developmental Disabilities NEC</u> than in the 1-year cohort. The opposite is true in the case of <u>Hypersomnia (NOS)</u>. These diagnoses are ordered from largest to smallest for the 3-year cohort.



The second graphic illustrates the proportion of the 1-year and 3-year cohorts with respect to the type of providers being used. For instance, a larger proportion of the 3-year cohort used <u>Children's Community Rehabilitation</u> providers than in the 1-year cohort. The opposite is true in the case of <u>Full Service</u> providers. These provider types are ordered from largest to smallest for the 3-year cohort.



The third graphic illustrates the proportion of the 1-year and 3-year cohorts with respect to the type of services being used. For instance, a larger proportion of the 3-year cohort used <u>Other Therapeutic</u> services than in the 1-year cohort. The opposite is true in the case of <u>Laboratory</u> services. These service types are ordered from largest to smallest for the 3-year cohort.

